

EFFECT LIGHTING

XCELON 575

CONTROL FEATURES

RDMX Remote DMX Address USITT DMX-512 10 DMX Channels 4 Digit L.E.D. Display 3 pin XLR serial input/output Sound active mode



(NEW

OPTICAL SYSTEM

High output luminous-parabolic dichroic reflector 19-degree Beam Angle Optional Beam Angles All lenses are anti-reflection coated

COLORS

4 dichroic filters plus open Split and shared color combinations Continuous, variable speed, color scrolling in both directions (rainbow effect) More color combinations possible by overlaying the multi-color dichroic gobo and the colors on the color wheel

SHUTTER/DIMMER

Variable speed strobe effect (1-10) Flashes per second Pre-set variable/random strobe and dimming pulse effect Dual Flag mechanical dimming system

PRISM

3, 5, and 9 facet prisms rotating in both directions at variable speeds Macro-function for rotating gobos/rotating prisim combinations

FOCUS

Motor driven remote focus from near to far

LAMPS

Phillips MSR 575/2 (575W, 7200°K, 1000 Hrs.)

GOBOS

2 gobo wheels, 13 total gobos, 10 metal, 3 glass 6 interchangeable, indexable, rotating gobos plus open 7 interchangeable, indexable, static gobos plus open 26.9 mm outside diameter, 23mm image diameter Gobo overlay

RIGGING

1 x Heavy duty yoke 1 x Safety cable hole


POWER SUPPLY

8A or 4A Fuse Magnetic Ballast Voltage: AC 98, 120, 208, 220, 230, 240V 50/60zh Power Consumption: 800W

DIMENSIONS & WEIGHT

15"L x 11"W x 18"H 61.5 lbs.





POWERED BY

PHILIPS

3 FACET PRISM

5 FACET PRISM



GOBO WHEEL 1 Rotating Gobo Wheel



GOBO WHEEL 2


Static Gobos. Convenient Slot-Lock gobo replacement system





9 FACET PRISM





EFFECT: 9 FACET PRISM + COLOR OVERLAY