



M D

SERIES

MODULAR DESIGN LED PARS



M D

SERIES



The ADJ Lighting Modular Series LED Pars allow lighting designers more flexibility when it comes to features, plus more power to create brilliant washes for stages, installations or mobile events. The Mod Pars are “modular” in two ways. First, the body moves so that you can create a snoot to eliminate side glare if desired. Second, designers can remove the black metal housing and replace it with a pearl white housing kit. In this way, LED Par owners can switch between black or white fixtures depending on the application without having to inventory two different fixtures.



MOD HEX100

105W HEX
(RGBWA+UV) PAR



The MOD HEX100 comes equipped with seven 15-Watt RGBWA+UV (6-IN-1) LED diodes (for a total output of 105W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

Light Source:

- 7x 15-Watt RGBWA+UV (4-IN-1 – Red, Green, Blue, White, Amber + UV) LEDs
- 50,000 Hour Average LED Life

Features:

- Unique modular design: metal housing moves to offer a snout to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

Output:

- Total Lumens: <1800
- LUX: 2665 @ 3M (9.8 ft.)
- Beam angle: 17-degrees

Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 6, 8, 11 or 12
- 64 built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

Electrical:

- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 118W

Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote

SKU: MOD940 • UPC: 818651024326





MOD QW100

105W QUAD
(RGBW) PAR

 **RED/GREEN
BLUE/WHITE**
[4-IN-1] LED CHIP

The MOD QW100 comes equipped with seven 15-Watt RGBW (4-IN-1) LED diodes (for a total output of 105W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

Light Source:

- 7x 15-Watt RGBW (4-IN-1 – Red, Green, Blue & White) LEDs
- 50,000 Hour Average LED Life

Features:

- Unique modular design: metal housing moves to offer a snout to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

Output:

- Total Lumens: <2300
- LUX: 3887 @ 3M (9.8 ft.)
- Beam angle: 17-degrees

Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

SKU: MOD100 • UPC: 818651024302

Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 4, 5, 6, 9 or 10
- 64 built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

Electrical:

- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 114W

Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote



MOD QA60

60W QUAD
(RGBA) PAR



The MOD QA60 comes equipped with four 15-Watt RGBA (4-IN-1) LED diodes (for a total output of 60W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

Light Source:

- 4x 15-Watt RGBA (4-IN-1 – Red, Green, Blue & Amber) LEDs
- 50,000 Hour Average LED Life

Features:

- Unique modular design: metal housing moves to offer a snoot to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

Output:

- Total Lumens: <750
- LUX: 3026 @ 3M (9.8 ft.)
- Beam angle: 17-degrees

Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

SKU: MOD615 • UPC: 818651024319

Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 4, 5, 6, 9 or 10
- 64 built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

Electrical:

- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 74W

Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote





MOD TW100

105W QUAD
(CW/WW/WW/AMBER)
PAR



The MOD TW100 comes equipped with seven 15-Watt CW/WW/WW/Amber (4-IN-1) LED diodes (for a total output of 105W), a scissor yoke and three interchangeable frost filters that are easily replaceable by thumb screws. The 17-degree standard beam may be changed on the fly to 20, 40 or 60-degrees.

Light Source:

- 7x 15-Watt CW/WW/WW/Amber (4-IN-1 – Cool White, Warm White, Warm White & Amber) LEDs
- 50,000 Hour Average LED Life

Features:

- Unique modular design: metal housing moves to offer a snoot to eliminate side glare
- Black, gloss metal house may be removed and replaced with pearl white housing kit (sold separately)
- Includes 3 frost filters to change beam angle: 20-degree, 40-degree or 60-degree
- Scissor yoke included

Output:

- Total Lumens: <2400
- LUX: 2973 @ 3M (9.8 ft.)
- CRI: 92 (Cool White); 97 (Warm White)
- Color Temperature: 6000K (Cool White); 2700K (Warm White)
- Beam angle: 17-degrees

Connections:

- Power Input & Output: powerCON
- DMX: 3-pin & 5-pin In/Out

Control:

- UC IR wireless remote & Airstream IR compatible
- Control Channels: 6, 8, 11 or 12
- Built-in Color Macros
- 6 operational modes
- 4-button control menu with display
- Electronic Dimming: 0-100%
- Variable strobe control

Electrical:

- Input Voltage: 100-240V 50Hz/60Hz (Auto Sensing)
- Max Power Draw: 111W

Dimensions/Weight:

- Dimensions (LxWxH): 7" x 8" x 9.25" / 174 x 204 x 235mm
- Weight: 6 lbs. / 2.6 kg.

Accessories (sold separately):

- Pearl white housing kit – white housing, scissor yoke with white knobs & front face plate
- Black metal Barn Doors
- UC IR wireless remote

SKU: MOD742 • UPC: 818651024654





Lens Kit

Each model includes easy to replace lens kit - 20, 40 or 60-degree



Barn Doors

Easy to add/remove Barn Door



Rear Panel

- 4-button Control Menu with Digital Display
- 3-pin & 5-pin In/Out
- powerCON In/Out



Modular Case

The body moves so that you can create a snoot to eliminate side glare if desired

MAD



D

SERIE



pure LIGHTING
EXCITEMENT

www.ADJ.com

Specifications subject to change with out notice.
Los Angeles, USA • Miami, USA • Kerkrade, Netherlands
Manchester, UK • Mexico City, Mexico