

FLAT PAR TRI7



* Remote sold separately

Specifications:

- Ultra bright slim Par Can with 7x 3-Watt TRI LEDs (3-in-1 RGB)
- Great for performance stages where traditional par cans emit a lot of heat onto performers
- Low profile case design
- Wireless infrared remote control up to 15 ft./4.5M (Model: ADJ LED RC - **sold separately**)
- 7 DMX Channel modes: 1, 2, 3, 4, 5, 6 or 7 channel modes
- 6 Operational modes: Manual Color Mode; Color Change Mode; Color Fade Mode; Auto (Program Run) Mode; Sound Active Mode and DMX-512 Mode
- Smooth RGB color mixing (fast or slow color change operation)
- TRI LED (3-in-1) projects no RGB shadows
- 32 built-in Color Macros
- Color strobe effect
- Electronic Dimming: 0 - 100%
- Beam angle: 40-degree
- Linkable via 3-pin XLR cable (In/Out)
- 4-button LED DMX display on rear panel
- Dual bracket system allows fixture to be hung or set on the ground
- IEC AC IN/OUT outlets on rear to daisy chain power
- Safety hook on rear panel

- Includes gel frame for optional diffusion filters
- Run all night – No duty cycl
- Long Life LEDs (50,000 hrs.)
- Power Draw: 25W max
- Multi-voltage operation: AC 90V-240V 50/60Hz
- Dimensions (LxWxH): 10.75"x9"x4.25"/272x230x105mm
- Weight: 7 lbs./2.8 kg.

ADJ LED RC Infrared Remote Control Features:


- Black Out: Turns fixture On/Off
- Auto Run: Automatically run through built-in programs
- Program Selection: Access units built-in programs
- Flash: Strobe effect
- Speed: Control speed of Auto Run
- DMX Mode Select
- Sound Active: Activates sound active mode
- Slave: Designates the fixture as a "slave" fixture in the Master Slave configuration
- Set Address: Set DMX Address on a fixture
- RGB Buttons: Adjust RGB colors with the "+" and "-" buttons
- + and - Buttons: Adjust flash rate, speed of the Auto Run and Program Selection

Specifications subject to change without notice



American DJ FLAT PAR TRI7 Photometrics (All LEDs - RGB)


RGB 4910 — 1370 ————— 399 ————— 166.8 ————— 98.1 ————— 66.4 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance(Feet)
0.5	1	2	3	4	5	Distance(Meters)
2.13'	4.27'	7.22'	12.80'	17.06'	21.33'	Diameter(Feet)
0.65	1.3	2.2	3.9	5.2	6.5	Diameter(Meters)

American DJ FLAT PAR TRI7 Photometrics (Blue LED Only)


B 1880 — 531 ————— 127 ————— 58.6 ————— 35.5 ————— 23.2 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance(Feet)
0.5	1	2	3	4	5	Distance(Meters)
2.13'	4.27'	7.22'	12.80'	17.06'	21.33'	Diameter(Feet)
0.65	1.3	2.2	3.9	5.2	6.5	Diameter(Meters)

American DJ FLAT PAR TRI7 Photometrics (Green LED Only)


G 1717 — 473 ————— 135 ————— 58.6 ————— 35.5 ————— 23.5 lux
lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance(Feet)
0.5	1	2	3	4	5	Distance(Meters)
2.13'	4.27'	7.22'	12.80'	17.06'	21.33'	Diameter(Feet)
0.65	1.3	2.2	3.9	5.2	6.5	Diameter(Meters)

American DJ FLAT PAR TRI7 Photometrics (Red LED Only)

R 2780 — 752 ————— 196 ————— 84 ————— 48.4 ————— 32.6 lux



1.64'	3.28'	6.56'	9.84'	13.11'	16.39'	Distance(Feet)
0.5	1	2	3	4	5	Distance(Meters)
2.13'	4.27'	7.22'	12.80'	17.06'	21.33'	Diameter(Feet)
0.65	1.3	2.2	3.9	5.2	6.5	Diameter(Meters)

