

Acoustic Test Report

Acoustic Test Report Page 1 of 4

Test conditions

Test carried out according to ISO 3744:2010(E)

		•			
17	ΔM		tο	Cta	М
u	CV	して	LC	ste	u

Brand:		
Model:		
Serial #:		
Software version:		
Environme	nt	
Temperature:		
Humidity:		
Warm-up Time (in N	/lins):	
Ambient Noise Lev		

Fixture placement:

Fixture was placed at least one meter from walls and ceiling, as described in the Standard ISO 3744:2010(E)

Instrumentation

Instruments used

	Equipment	Make	Туре	
	Acoustic Analyser	NTI	XL2	
	Audio Switch	Kramer	VS-4X	
	Mic 01	NTI	M4261	
Magazwamant Miayanhanaa	Mic 02	NTI	M4261	
Measurement Microphones	Mic 03	NTI	M4261	
	Mic 04	NTI	M4261	

Acoustic Test Report Page 2 of 4

Setup
The product was placed in a semi-anechoic chamber (See figure 1). The ceiling, floor and walls were all acoustically absorbent. The main dimensions of the room were 4.15 m \times 3.60 m \times 3.30 m (Length \times Width \times Height)
FIGURE 01: TEST SETUP
The product was allowed a minimum of minutes of warm-up time before measurements were performed.
Measurement method
Measurements were carried out using a setup with 4 microphones. The microphones were in turn moved to the measurement positions described below.
Measurement setup:

Acoustic Test Report Page 3 of 4

Ambient Noise Level	Postion 01	Postion 02	Postion 03	Postion 04	Postion 05	Postion 06	Postion 07	Postion 08
	dB(A) at							
Mode								
Fan Control - Auto (Default)								
Fan Control - Low								
Fan Control - High								

Results:

©1997-2020 Elation Professional, All Rights Reserved. Information subject to change without notice. Elation Professional and all affiliated companies disclaim liability for any injury, damage, direct or indirect loss, consequential or economic loss or any other loss occasioned by the use of, inability to use or reliance on the information contained in this document.

Elation Professional®, Elation Lighting Inc.® and all other trademarks in this document pertaining to services or products by Elation Professional or its affiliates and subsidiaries are registered as the property of Elation Lighting Inc. 6122 S. Eastern Avenue Los Angeles, CA 90040 USA www.elationlighting.com